

www.autoidcorp.com

Revolutionary Fingerprint Time Attendance Terminal

- 3 and 3.5 inches color screen
- Fingerprint sensor (ZK2000)
- Core-board: ZMM100
- Large capacity
- New SDK

Z100 adopts the brand new fimware and provides an unprecedented user experience. It brings innumerable surprises, including the stunning GUI. rock-solid stability. fast matching speed and expandabilty.

Z 100



Features

Remarkable user experience

- Intuitive and stunning UI designed with the most popular and internationalized factor
- Interface operation adopts modularized hierarchical desing.
- Faster matching speed: less than 0.5 second.

Excellent expandability

• Easy to extend funtions and customize customers, demand.

Enhanced Features and performance

- Support user validity settings
- Support data backup and retrieve
- Support advanced workcode consisted of letters and numbers
- Support chip encryption for firmware protection

sales@autoidcorp.com


Specifications

Fingerprint Capacity	3000 (1:N)
ID Card Capacity	10,000 (optional)
Record Capacity	100,000
Display	3-inch Screen
Communication	TCP/IP, RS232/485, USB (host & client)
	Web Server, Short Message, Automatic Status Switch,
Standar Functions	Self-Service Query, Work Code, T9 input, 9 Digits User ID,
	DTS, Schedule Bell
Optional Functions	ID/Mifare Card, External Printer
Software	ZKTime 5.0 (free), ZKTime, Net 2.0
Power Supply	DC 5V 2A
Verification Speed	<0.5 sec
Operating Temp	0°C - 45 °C
Operating Humidity	20% - 80%
Dimension	180 * 135 * 37 (Length * Width * Thickness)


www.autoidcorp.com




Dimensions (mm)



Interface



Configuration











www.autoidcorp.com

